

**List of references supporting the HMPC assessment report on**

***Aloe barbadensis* Miller and  
*Aloe* (various species, mainly *Aloe ferox* Miller and its hybrids)**

**(EMEA/HMPC/76313/2006)  
(5 July 2007)**

- (1) German monograph of Aloe, Bundesanzeiger No. 133, 21 July 1993
- (2) Bundesinstitut für Arzneimittel und Medizinprodukte. Bekanntmachung über die Zulassung und Registrierung von Arzneimitteln – Abwehr von Arzneimittelrisiken, Stufe II – Humanarzneimitteln zur innerlichen Anwendung, ausgenommen nach HAB 1 hergestellte homöopathische Arzneimittel, welche Drogen, Drogenzubereitungen oder isolierte Inhaltsstoffe der Anthranoid-(Hydroxyanthracenderivat-)haltigen Pflanzengattungen Andira, Cassia, Rhamnus, Rheum oder Aloe enthalten (German pharmacovigilance actions for anthranoid-containing laxatives) vom 21. Juni 1996, Bundesanzeiger vom 05.07.1996 Nr. 123, Seite 7581
- (3) ESCOP monograph “Aloe capensis” (Cape Aloes), 2<sup>nd</sup> edition 2003, Thieme Verlag Stuttgart, New York
- (4) WHO monograph “Aloe”, World Health Organization, Geneva 1999
- (5) Tarpila S et al. Efficacy of ground flaxseed on constipation in patients with irritable bowel syndrome. Current Topics in Nutraceutical Research 2004; 2: 119 - 25
- (6) Capasso F et al. Aloe and its Therapeutic Use. Phytotherapy Research 1998; 12: 124 - 7
- (7) HagerROM 2003; Springer Verlag “Aloe barbadensis (Curaçao-Aloe); Aloe capensis (Kap-Aloe)
- (8) Hattori M et al. Metabolism of barbaloin by intestinal bacteria. Chemical and Pharmaceutical Bulletin (Tokyo) 1988; 36 (11): 4462 - 6
- (9) Che QM et al. Isolation of a human intestinal bacterium capable of transforming barbaloin to aloe-emodin anthrone. Planta medica 1991; 57 (1): 15 - 9.
- (10) Akao T et al. A purgative action of barbaloin is induced by Eubacterium sp. strain BAR, a human intestinal anaerobe, capable of transforming barbaloin to aloe-emodin anthrone. Biological & Pharmaceutical Bulletin 1996; 19 (1): 136 - 8
- (11) Ishii Y et al. Studies of aloe. V. Mechanism of cathartic effect. (4). Biological & Pharmaceutical Bulletin 1994; 17 (5): 651 - 3
- (12) Ishii Y et al. Studies of aloe. VI. Cathartic effect to isobarbaloin. Biological & Pharmaceutical Bulletin 1998; 21 (11): 1226 - 7
- (13) Ishii Y et al. Studies of aloe. III. Mechanism of cathartic effect. (2). Chemical & Pharmaceutical Bulletin 1990; 38 (1): 197 - 200
- (14) De Witte P, Lemli J. Metabolism of <sup>14</sup>C-rhein and <sup>14</sup>C-rhein anthrone in rats. Pharmacology 1988; 36 (Suppl. 1): 152 - 7
- (15) Lang W. Pharmacokinetic-metabolic studies with <sup>14</sup>C-aloe emodin after oral administration to male and female rats. Pharmacology 1993; 47 (Suppl. 1): 110 - 9
- (16) Ewe K. Obstipation und Laxanzien. Deutsche Apotheker Zeitung. 1994; 134: 825 - 33
- (17) Gabler F. Obstipation und Laxanzien. PTA heute 8, 1994; 5, 380 - 8

- (18) Hoenig J et al. Inhibition of Cl<sup>-</sup> channels as a possible base of laxative action of certain anthraquinones and anthrones. *Planta Med* 1992; 58 (7): A586 - A587
- (19) Rauwald HW et al. Different influence of certain anthraquinones / anthrones on energy metabolism: an approach for interpretation of known synergistic effects in laxative action. (Question.). *Planta Med* 1992; 58 (7): A587 - A588
- (20) Ishii Y et al. Studies of aloe. IV. Mechanism of cathartic effect. (3). *Biological & pharmaceutical bulletin* 1994; 17 (4): 495 - 7
- (21) Grimaudo S et al. Effects of highly purified anthraquinoid compounds from *Aloe vera* on sensitive and multidrug resistant leukemia cells. *Oncology Reports* 1997; 4 (2): 341 - 3
- (22) Yagi A, Takeo S. Anti-inflammatory constituents, aloesin and aloemannan in *Aloe* species and effects of tanshinon VI in *Salvia miltiorrhiza* on heart. *Journal of the Pharmaceutical Society of Japan (Japan)* 2003; 123 (7): 517 - 32
- (23) Lorenzetti LJ et al. Bacteriostatic property of *Aloe vera*. *Journal of pharmaceutical sciences* 1964; 53: 1287
- (24) Liu M et al. Growth-inhibiting activity of anthraquinones and benzoquinones against methicillin-resistant *Staphylococcus aureus* (MRSA). *Dokkyo Journal of Medical Sciences* 1996; 23 (2): 85 - 93
- (25) Shamin S et al. Antifungal activity of *Allium*, *Aloe*, and *Solanum* species. *Pharmaceutical Biology* 2004; 42 (7): 491 - 8
- (26) Chung JH et al. Effect of aloin, a quinone derivative of aloe, on ethanol metabolism in the rat. *Medical Science Research* 1996; 24 (6): 421 - 3
- (27) Capasso F et al. Effect of indomethacin on aloin and 1,8 dioxanthraquinone-induced production of prostaglandins in rat isolated colon. *Prostaglandins* 1983; 26 (4): 557 - 62
- (28) Koch A. Aloe als Laxans: ein neues Argument für die Überprüfung der Droge (Aloe as a laxative: a new argument for the investigation of the drug). *Deutsche Apotheker Zeitung* 1995; 135 (12): 29 - 32
- (29) Kopp H. Choleretische Wirkung und Verträglichkeit von Chol-Kugeletten® bei Cholezystopathien (Choleretic effect and tolerance of a commercial formulation containing deanil benzilate, ethaverine, bisacodyl, guaiazulene, ox bile and plant extracts, in patients with gallbladder disease). *Therapiewoche* 1979; 29 (36): 5645 - 55
- (30) Odes HS, Madar Z. A double-blind trial of a celandin, aloe vera and psyllium laxative preparation in adult patients with constipation. *Digestion* 1991; 49: 65 - 71
- (31) HagerROM 2003; Springer Verlag "Sokotra-Aloe"
- (32) Williams CL et al. A summary of conference recommendations on dietary fiber in childhood: Conference on Dietary Fiber in Childhood, New York (New York, USA), May 24, 1994. *Pediatrics* 1995; 96: 1023 - 8
- (33) Westendorf J et al. Genotoxicity of naturally occurring hydroxyanthraquinones. *Mutation Research* 1990; 240: 1 - 12
- (34) Heidemann a et al. Genotoxicity of aloemodin in vitro and in vivo. *Mutation Research* 1996; 367: 123 - 3
- (35) Shiota K, Mima S. Assessment of the teratogenicity of di(2-ethylhexyl)phthalate and mono(2-ethylhexyl)phthalate in mice. *Arch Toxicol* 1985; 56: 263 - 6
- (36) Lee KH et al. Anti-leukaemic and anti-mutagenic effects of di(2-ethylhexyl)phthalate isolated from *Aloe vera* Linne. *J Pharm Pharmacol* 2000; 52 (2): 593-8
- (37) Faber P, Strenge-Hesse A. Relevance of rhein excretion into breast milk. *Pharmacology* 1988; 36 (Suppl 1) 212 - 20

- (38) Gerhard Madaus. Lehrbuch der biologischen Heilmittel Band I, 1938; Aloe: p. 484 - 91. Reprint Georg Olms Verlag Hildesheim New York 1976
- (39) Dioscurides. Materia medica, 50-70 A.D. Übersetzung von Julius Berendes 1902; 3. Buch, Cap. 22, Aloe.
- (40) The British Pharmaceutical Codex, published by direction of the Council of the Pharmaceutical Society of Great Britain, 1911. ALOE
- (41) The Dispensatory of the United States of America, edited by Joseph P. Remington, Horatio C. Wood and others, 1918: Aloe. U.S., Br.
- (42) David M.R. Culbreth, Ph.G., M.D. A Manual of Materia Medica and Pharmacology. 7<sup>th</sup> edition, 1927. Aloes
- (43) Hagers Handbuch der Pharmazeutischen Praxis. Dr. G. Frerichs, G. Arends, Dr. H. Zörnig (Herausgeber). Verlag von Julius Springer, Berlin 1925. Aloe
- (44) Eberhard von Koenen. Heil- und Giftpflanzen in Südwestafrika. Akademischer Verlag Windhoek, S.W.A. 1977
- (45) Watt JM, Breyer-Brandwijk MG (1962) The Medicinal and Poisonous Plants of Southern and Eastern Africa, 2. Auflage, Livingstone, Edinburgh
- (46) Mori H et al. Induction of intestinal tumours in rats by chrysazin. Br J Cancer 1985; 52: 781 - 3
- (47) Mori H et al. Carcinogenicity of chrysazin in large intestine and liver of mice. Jpn. J. Cancer Res. (Gann) 1986; 77: 871 - 76
- (48) Wölfle D et al. Hydroxyanthraquinones as tumor promoters: enhancement of malignant transformation of C3H mouse fibroblasts and growth stimulation of primary rat hepatocytes. Cancer Research 1990; 50 (20): 6540-4
- (49) Siegers CP et al. Sennosides and aloin do not promote dimethylhydrazine-induced colorectal tumors in mice. Pharmacology 1993; 47 (Suppl. 1): 205 - 8
- (50) Schörkhuber M et al. Effect of anthraquinone-laxatives on the proliferation and urokinase secretion of normal, premalignant and malignant colonic epithelial cells. European Journal of Cancer<sup>1</sup> 1998; 34 (7): 1091-8
- (51) Siegers CP et al. Anthranoid laxative abuse – a risk for colorectal cancer? Gut 1993; 34 (8): 1099 - 101
- (52) Kune GA et al. The role of chronic constipation, diarrhea, and laxative use in the etiology of large-bowel cancer. Data from the Melbourne Colorectal Cancer Study. Diseases of the colon and rectum 1988; 31 (7): 507 - 12
- (53) Kune GA. Laxative use not a risk for colorectal cancer: data from the Melbourne Colorectal Cancer Study. Zeitschrift für Gastroenterologie 1993; 31 (2): 140 - 3
- (54) Nusko G et al. Retrospective study on laxative use and melanosis coli as risk factors for colorectal neoplasma. Pharmacology 1993; 47 (Suppl. 1): 234 - 41
- (55) Sonnenberg A et al. Constipation and cathartics as risk factors of colorectal cancer: A meta-analysis. Pharmacology 1993; 47 (Suppl. 1): 224 - 33
- (56) Loew D et al. Anthranoidlaxanzien: Ursache für Kolonkarzinom? (Anthranoid laxatives: cause of colorectal cancer?) Deutsche Apotheker Zeitung 1994; 134 : 30, 32 - 3

---

<sup>1</sup> Official journal for European Organisation for Research and Treatment of Cancer (EORTC) (and) European Association for Cancer Research (EACR)

- (57) Nusko G et al. Anthranoide laxative use is not a risk factor for colorectal neoplasia: results of a prospective case control study. *Gut* 2000; 46: 651 - 5
- (58) Willems M et al. Anthranoid self-medication causing rapid development of melanosis coli. *The netherlands journal of medicine* 2003; 61 (1): 22 - 4
- (59) Nilsson SE et al. Laxative treatment elevates plasma homocysteine: A study on a population-based Swedish sample of old people. *European Journal of Clinical Pharmacology* 2004; 60 (1): 45 - 9
- (60) Sitzmann FC et al. Lokale Nebenwirkungen an der Haut durch Anthraglykoside. *Pädiatr Prax* 1979; 21: 355 - 8
- (61) Lemli J et al. Metabolism of sennosides and rhein in the rat. *Pharmacology* 1980; 20 (Suppl. 1): 50 - 7
- (62) Jae Sik Joo et al. Alterations in colonic anatomy induced by chronic stimulant laxatives: The cathartic colon revisited. *Journal of Clinical Gastroenterology* 1998; 26 (4): 283 - 6
- (63) Ernst E. Adverse effects of herbal drugs in dermatology. *British Journal of Dermatology* 2000; 143 (5): 923 - 9
- (64) Anliker MD et al. Anaphylactic shock due to the local application of Aloe vera leaves. *Allergy* 2002; 57: 311
- (65) Schempp CM et al. Toxic and allergic phytodermatitis from plants. *Durch Pflanzen ausgelöste toxische und allergische Dermatitis (Phytodermatitis)*. *Der Hautarzt* 2002; 53 (2): 93 - 7
- (66) Lee A et al. Possible interaction between sevoflurane and *Aloe vera*. *The Annals of Pharmacotherapy* 2004; 38 (10): 1651 - 4
- (67) Fenig E et al. Combined effect of aloe-emodin and chemotherapeutic agents on the proliferation of an adherent variant cell line of Merkel cell carcinoma. *Oncology reports* 2004; 11 (1): 213 - 7
- (68) Chen HC et al. Aloe-emodin induced in vitro G2/M arrest of cell cycle in human promyelocytic leukemia HL-60 cells. *Food and Chemical Toxicology*<sup>2</sup> 2004; 42 (8): 1251 - 7
- (69) Lee HZ et al. Effects and mechanisms of aloe-emodin on cell death in human lung squamous cell carcinoma. *European Journal of Pharmacology* 2001; 431 (3): 287 - 95
- (70) Yeh FT et al. Signaling pathway for aloe-emodin-induced apoptosis in human H460 lung nonsmall carcinoma cell. *International Journal of Cancer* 2003; 106 (1): 26 - 33
- (71) Lee HZ et al. Release of nucleophosmin from the nucleus: Involvement in aloe-emodin-induced human lung non small carcinoma cell apoptosis. *International Journal of Cancer*. 2005; 113 (6): 971 - 6
- (72) Luyckx VA et al. Herbal remedy-associated acute renal failure secondary to Cape aloes. *American Journal of Kidney Diseases*<sup>3</sup> 2002; 39 (3): E13
- (73) Directive 2003/36/EC of the European Parliament and of the Council of 26 May 2003
- (74) Opinion of the Scientific Panel on Food Additives, Flavourings, Processing Aids and Materials in contact with Food (AFC) on a request from the Commission related to Bis(2-ethyl)phthalate (DEHP) for use in food contact materials. Question N° EFSA-Q-2003-192, adopted on 23 June 2005 by written procedure
- (75) EU Scientific Committee on Toxicity, Ecotoxicity and the Environment (CSTEE). Phthalate migration from soft PVC toys and child-care articles: Opinion expressed at the CSTEE third plenary meeting Brussels, 24 April 1998

<sup>2</sup> An international journal published for the British Industrial Biological Research Association

<sup>3</sup> The official journal of the National Kidney Foundation

- (76) Morimoto I et al. Mutagenicity screening of crude drugs with *Bacillus subtilis* rec-assay and Salmonella/microsome reversion assay. Mutation Research 1982; 97: 81 - 102
- (77) Brown JP. A review of the genetic effects of naturally occurring flavonoids, anthraquinones and related compounds. Mutation Research 1980; 75: 243 - 77
- (78) Brusick DJ. Assessment of the genotoxic risk from laxative products containing aloe-emodin with special emphasis on aloe preparation, March 1994, unpublished
- (79) Brown JP et al. Mutagenicity of anthraquinone and benzanthrone derivatives in the salmonella/microsome test: activation of anthraquinone glycosides by enzymic extracts of rat cecal bacteria. Mutation Research 1979; 66: 9 - 24
- (80) Goodman & Gilman's. The Pharmacological Basis of Therapeutics. Eleventh edition. Section VI / Drugs affecting gastrointestinal function. Stimulant (Irritant) Laxatives
- (81) Izzo AA et al. NG-nitro-L-arginine methyl ester reduces senna- and cascara-induced diarrhoea and fluid secretion in the rat. European Journal of Pharmacology 1996; 301 (1-3): 137 - 42
- (82) Izzo AA et al. The role of constitutive and inducible nitric oxide synthase in senna- and cascara-induced diarrhoea in the rat. European Journal of Pharmacology 1997; 323 (1): 93 - 7
- (83) Izzo AA et al. The role of nitric oxide in aloe-induced diarrhoea in the rat. European Journal of Pharmacology 1999; 368: 43 - 48
- (84) Tavares IA et al. Effects of anthraquinone derivatives on PAF release by human gastrointestinal mucosa in vitro. Phytotherapy Research 1996; 10 (Suppl.1): S20-S21
- (85) Izzo AA et al. Recent findings on the mode of action of laxatives: the role of platelet activating factor and nitric oxide. Trends in pharmacological sciences 1998; 19 (10): 403-5
- (86) Longo R. Monograph "Aloe today". Part Four; Natural 1, December 2002: 74 - 7 ([www.natural1.it/english/MONOGRAF747.pdf](http://www.natural1.it/english/MONOGRAF747.pdf).)
- (87) Haverkamp W et al. Medikamentenbedingte QT-Verlängerung und Torsade de pointes. Drug-induced QT Prolongation and Torsade de Pointes. Deutsche Ärzteblatt 2002; 99: A 1972-9 [Heft 28-29]
- (88) NTP Technical Report on the Toxicology and Carcinogenesis Studies of Emodin in F344/N Rats and B6C3F<sub>1</sub> Mice. National Toxicology Programme, June 2001, NTP TR 493, NIH Publication No. 01-3952
- (89) Masuda T et al. 2-Hydroxyemodin, an active metabolite of emodin in the hepatic microsomes of rats. Mutation Research 1985; 149: 327 - 32
- (90) Jacobs EJ et al. Constipation, laxative use, and colon cancer among middle-aged adults. Epidemiology 1998; 9: 385-91
- (91) Roberts MC et al. Constipation, laxative use, and colon cancer in a North Carolina population. Am J Gastroenterol 2003; 98: 857 - 64
- (92) Müller-Lissner S. Myths and misconceptions about chronic constipation. Am J Gastroenterol 2005; 100: 232 - 42
- (93) Smith B. Effect of irritant purgatives on the myentric plexus in man and mouse. Gut 1968; 9: 139 - 45
- (94) Riemann JF et al. The fine structure of colonic submucosal nerves in patients with chronic laxative abuse. Scand J Gastroenterol 1980; 15: 761 - 8
- (95) Riemann JF et al. Ultrastructural changes in the gut autonomic nervous system following laxative abuse and in other conditions. Scand J Gastroenterol 1982; 71: 11 - 24
- (96) Berkelhammer C et al. Low-volume oral colonoscopy bowel preparation: sodium phosphate and magnesium citrate. Gastrointest Endosc 2002; 56: 89 - 94

- (97) Meisel JL et al. Human rectal mucosa: proctoscopic and morphological changes caused by laxatives. *Gastroenterology* 1977; 72: 1274 - 9
- (98) Pockros PJ et al. Golytely lavage versus a standard colonoscopy preparation. Effect on normal colonic mucosal histology. *Gastroenterology* 1985; 88: 545 - 8
- (99) Riecken EO et al. The effect of an anthraquinone laxative on colonic nerve tissue: A controlled trial in constipated women. *Z Gastroenterol* 1990; 28: 660 - 4
- (100) Konsensuspapier Expertenforum: Obstipation und Laxanzien. *Praxis* 1999; 88: 1269 - 74
- (101) Beuers U et al. Hepatitis after chronic abuse of senna. *Lancet (England)* 1991; Vo.: 337: 372 - 3
- (102) Vanderperren B et al. Acute liver failure with renal impairment related to the abuse of senna anthraquinone glycosides. *Ann Pharmacotherapy* 2005; 39: 1353-7